



THREAD BALL VALVE











2PC Ball Valve



1PC Ball Valve



3 Way Ball Valve







FLANGED BALL VALVE



3PC Flange valve



2PC Flanged Valve



1PC Flanged Valve



Wafer Flanged Valve

INTELLIGENT VALVE SYSTEM

Actuator: Pneumatic / Electric options

for automated control.

Limit Switch: Provides end-of-travel indication for precise positioning.

Positioner: Ensures accurate valve positioning based on input signals.







OUR PRODUCTS

GATE & GLOBE VALVE

PRESS BALL VALVE



Gate Valve Flange



Globe Valve Flange F/F



Globe Valve Flange



3PC Ball Valve Press End

3PC Ball Valve with Casting Handle

CHECK VALVE



Swing Check Valve



Spring Check Valve



Wafer Check Valve



Y-Type Check Valve



Sanitary Check Valve

Y-STRAINER

OEM VALVES AND FITTINGS



Y-Strainer with Plug



Y- Strainer Flanged



Ball Valve with Extended Stem



Customized Sanitary Valve



Quick Disconnects and Coupling



<<<<

CUSTOMIZED VALVES



Control Valve



Metal Seat Butterfly Valve



Trunnion Ball Valve



Gate Valve



PULP AND PAPER



HVAC

MARINE AND OFFSHORE

KNIFE GATE VALVE



Uni-directional knife gate valve



Bi-directional knife gate valve



Linak Electric Actuated knife gate valve



Electric actuated knife gate valve





FOOD AND BEVERAGE

VALVE SERVICE FACILITY







Our Services Include:

- Customized Valve + Actuator Integration
- ✓ Valve Testing
- Repair and Maintenance





Your Trusted Partner for **PROCESS VALVES**

VALVES | FITTINGS | CUSTOMIZED VALVES



ABOUT US

We specialize in high-performance valve solutions tailored to your industry's unique needs. Our expertise in automation ensures safety, efficiency, and durability across our product range.

From design to support, we deliver quality and innovation that exceeds your expectations.

Why MechVAL



Skilled Engineers

GENERAL SPECIFICATIONS



Innovative Designs




Customized Valve

- High Temperature: -20°C to +180°C (up to 250°C on request)
- Fire Safe : Safe in hazardous environments.
- Anti-static: Protects against electrostatic discharge.
- Blow-out Proof: Prevents accidental valve opening.
- ☑ Pressure Balanced: Smooth operation, no water hammer.
- Adjustable Packing: Reliable sealing, low maintenance.
- ☑ TUV AD 2000 Approved: High-quality materials
- ☑ Built-in ISO 5211: Seamless automation integration.



After-Sales Support





VALVE TESTING & SERVICE FACILITY

- P O Box: 19104, Mechatronics Building, Dubai Production City, Dubai, UAE.
- +971 4 267 4311 / +971 4 267 0704
- \times mechtron@mechatronics.ae

- P O Box: 91183. Abu Dhabi Industrial City - Abu Dhabi, UAE
- +971 2 555 1255
- \bowtie valve@mechatronics.ae









